


號碼(No.): ETR23A00325 日期(Date): 12-Oct-2023

頁數(Page):1 of 9

尚磊科技股份有限公司 (SUNRAY SCIENCE & TECHNOLOGY CO., LTD.) 桃園市龍潭區高原路367巷163弄22號 (325-56 NO. 22, ALY. 163, LN. 367, GAOYUAN RD., KAO YUANG VILLAGE, LONGTAN DISTRICT, TAOYUAN CITY, TAIWAN)

#### 以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as): 尚磊科技股份有限公司 (SUNRAY SCIENCE & TECHNOLOGY CO., LTD.) 送樣廠商(Sample Submitted By) 樣品名稱(Sample Name) CLEANROOM WIPERS (無塵擦拭布) : \_\_\_\_\_ 收件日(Sample Receiving Date) 03-Oct-2023 : 測試期間(Testing Period) : 03-Oct-2023 to 12-Oct-2023 測試需求(Test Requested) 依據客戶指定,參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試 : (1)鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).) (2) 依據客戶指定,測試鹵素-氟、氯、溴、碘。 (As specified by client, to test Halogen-Fluorine, Chlorine, Bromine, Iodine in the submitted sample.) 請參閱下一頁 (Please refer to following pages.) 測試結果(Test Results) 論(Conclusion) (1) 根據客戶所提供的樣品,其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, 結 ٠ BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)





This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



號碼(No.): ETR23A00325

日期(Date): 12-Oct-2023

頁數(Page): 2 of 9

尚磊科技股份有限公司 (SUNRAY SCIENCE & TECHNOLOGY CO., LTD.) 桃園市龍潭區高原路367巷163弄22號 (325-56 NO. 22, ALY. 163, LN. 367, GAOYUAN RD., KAO YUANG VILLAGE, LONGTAN DISTRICT, TAOYUAN CITY, TAIWAN)

### 測試部位敘述 (Test Part Description)

No.1 : 白色片狀 (WHITE SHEET)

#### 測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鎘 (Cd) (Cadmium (Cd))	參考IEC 62321-5: 2013,以感應耦合電漿	mg/kg	2	n.d.	100
	發射光譜儀分析。(With reference to IEC				
	62321-5: 2013, analysis was performed				
	by ICP-OES.)				
鉛 (Pb) (Lead (Pb))	參考IEC 62321-5: 2013 · 以感應耦合電漿	mg/kg	2	n.d.	1000
	發射光譜儀分析。(With reference to IEC				
	62321-5: 2013, analysis was performed				
	by ICP-OES.)				
汞 (Hg) (Mercury (Hg))	參考IEC 62321-4: 2013+ AMD1: 2017 · 以	mg/kg	2	n.d.	1000
	感應耦合電漿發射光譜儀分析。(With				
	reference to IEC 62321-4: 2013+ AMD1:				
	2017, analysis was performed by ICP-OES.)	(1			1000
六價鉻 Cr(VI) (Hexavalent Chromium	參考IEC 62321-7-2: 2017 · 以紫外光-可見	mg/kg	8	n.d.	1000
Cr(VI))	光分光光度計分析。(With reference to				
	IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)				
	penonned by 0 v - vis.)	mg/kg	5	n.d.	_
二溴聯苯 (Dibromobiphenyl)	參考IEC 62321-6: 2015.以氣相層析儀/質 譜儀分析。(With reference to IEC 62321- 6: 2015, analysis was performed by GC/MS.)	mg/kg	5	n.d.	
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.	_
五溴聯苯 (Pentabromobiphenyl)		mg/kg	5	n.d.	_
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.	-
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.	1000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



號碼(No.): ETR23A00325

日期(Date): 12-Oct-2023

頁數(Page): 3 of 9

尚磊科技股份有限公司 (SUNRAY SCIENCE & TECHNOLOGY CO., LTD.)

桃園市龍潭區高原路367巷163弄22號 (325-56 NO. 22, ALY. 163, LN. 367, GAOYUAN RD., KAO YUANG VILLAGE, LONGTAN DISTRICT, TAOYUAN CITY, TAIWAN)

(Test Items)     (Method)     (Unit)     (Result)     (Limit)            · · · · · · · · · · · · ·	測試項目	測試方法	單位	MDL	結果	限值
一溴聯苯醚 (Monobromodiphenyl ether)	(Test Items)	(Method)	(Unit)		· ,	(Limit)
三溴聯苯醚 (Dibromodiphenyl ether)     ····································						
三溴聯苯醚 (Tribromodiphenyl ether)     mg/kg     5     n.d.     -       四溴聯苯醚 (Pentabromodiphenyl ether)     参考IEC 62321-6: 2015 · 以氣相層析儀/質     mg/kg     5     n.d.     -       江溴聯苯醚 (Pentabromodiphenyl ether)     普儀分析 · (With reference to IEC 62321-     mg/kg     5     n.d.     -       九溴聯苯醚 (Heptabromodiphenyl ether)     6: 2015, analysis was performed by     6: 2015, analysis was performed by     mg/kg     5     n.d.     -       九溴聯苯醚 (Nonabromodiphenyl ether)     6: 2015, analysis was performed by     6C/MS.)     mg/kg     5     n.d.     -       竹澳聯苯醚 (Decabromodiphenyl ether)     6C/MS.)     -     mg/kg     5     n.d.     -       方濃聯苯種 (Decabromodiphenyl ether)     6C/MS.)     -     mg/kg     5     n.d.     -       小g/kg     5     n.d.     -     -     mg/kg     5     n.d.     -       小g/kg     5     n.d.     -     -     mg/kg     50     n.d.     -       小g/kg     5     n.d.     -     -     mg/kg     50     n.d.     - <td>• • •</td> <td rowspan="2"></td> <td></td> <td></td> <td></td> <td>-</td>	• • •					-
四溴聯苯醚 (Tetrabromodiphenyl ether)     参考IEC 62321-6: 2015 · 以氣相屬析儀/質     mg/kg     5     n.d.     -       五溴聯苯醚 (Pentabromodiphenyl ether)     -     -     mg/kg     5     n.d.     -       大溴聯苯醚 (Hexabromodiphenyl ether)     -     -     mg/kg     5     n.d.     -       九溴聯苯醚 (Leptabromodiphenyl ether)     -     -     mg/kg     5     n.d.     -       九溴聯苯醚 (Nonabromodiphenyl ether)     -     -     mg/kg     5     n.d.     -       十溴聯苯醚 (Nonabromodiphenyl ether)     -     -     mg/kg     5     n.d.     -       +溴聯苯醚 (Decabromodiphenyl ether)     -     -     mg/kg     5     n.d.     -       +溴聯苯醚 (Decabromodiphenyl ether)     -     -     mg/kg     5     n.d.     -       +>>>     mark (BBP)     (Buryl benzyl)     phthalate (BBP)     mg/kg     50     n.d.     1000       mark = Ptb					n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)   参考IEC 62321-6: 2015 · 以氣相層析儀/質   mg/kg 5   n.d.   -     六溴聯苯醚 (Hexabromodiphenyl ether)   -   iii 儀分析。(With reference to IEC 62321-   iii (mg/kg 5   n.d.   -     1/溴聯苯醚 (Heptabromodiphenyl ether)   -   : 2015, analysis was performed by   mg/kg 5   n.d.   -     1/溴聯苯醚 (Nonabromodiphenyl ether)   -   : 2015, analysis was performed by   mg/kg 5   n.d.   -     1/溴聯苯醚 (Nonabromodiphenyl ether)   -   mg/kg 5   n.d.   -     1/溴酮苯醚 (Decabromodiphenyl ether)   -   mg/kg 5   n.d.   -     *#菜二甲酸 (Decabromodiphenyl ether)   -   mg/kg 5   n.d.   -     *#菜二甲酸 (Decabromodiphenyl ether)   -   mg/kg 5   n.d.   -     *#菜二甲酸 (Depter)   -   mg/kg 50   n.d.   1000     ##本二甲酸 (DBP)   bestlec 62321-8: 2017 · 以氣相層析儀/質   mg/kg 50   n.d.   1000     ##本二甲酸 (DIP) (Di- (2-ethylhexyl) phthalate (DEHP))   8: 2017, analysis was performed by   mg/kg 50   n.d.   1000     ## * (F) (Fluorine (Cl)) (CAS No.: 14762-94- 8)   *   *   *   *   *     % (B) (Bromine (Br))			mg/kg		n.d.	-
二溴聯苯醚 (Pentabromodiphenyl ether)     譜儀分析。(With reference to IEC 62321-     mg/kg     5     n.d.     -       六溴聯苯醚 (Hexabromodiphenyl ether)     -     ·     <			mg/kg		n.d.	-
小漠聯本醚 (Hexabromodiphenyl ether)   -			mg/kg		n.d.	-
二溴聯苯醚 (Dectabromodiphenyl ether)     GC/MS.)     mg/kg     5     n.d.     -       九溴聯苯醚 (Octabromodiphenyl ether)     九溴聯苯醚 (Nonabromodiphenyl ether)     mg/kg     5     n.d.     -       十溴聯苯醚 (Decabromodiphenyl ether)     mg/kg     5     n.d.     -       */溴聯苯醚 (Decabromodiphenyl ether)     mg/kg     5     n.d.     -       */溴酸苯醚 (Decabromodiphenyl ether)     mg/kg     5     n.d.     -       */溴酸苯 (Decabromodiphenyl ether)     mg/kg     5     n.d.     -       */溴酸苯 (Decabromodiphenyl ether)     mg/kg     5     n.d.     -       */溴酸 (Decabromodiphenyl ether)     mg/kg     5     n.d.     -       */溴 (Bep)     mg/kg     5     n.d.     1000       ##苯二甲酸 (DBP) (Dibutyl phthalate (DEHP))     #     8: 2017, analysis was performed by GC/MS.)     mg/kg     50     n.d.     1000       # (F) (Fluorine (F)) (CAS No.: 14762-94-8)     %     %     %     %     50     n.d.     -       氯 (Cl) (Chlorine (Cl)) (CAS No.: 122537-15-1)     %     %     %     %     50		6: 2015, analysis was performed by	mg/kg	-	n.d.	-
小漠聯苯醚 (Octabromodiphenyl ether)     mg/kg     5     n.d.     -       九溴聯苯醚 (Nonabromodiphenyl ether)     -     mg/kg     5     n.d.     -       生溴聯苯醚 (Nonabromodiphenyl ether)     -     mg/kg     5     n.d.     -       多溴聯苯醚 (Nonabromodiphenyl ether)     -     mg/kg     5     n.d.     -       多溴聯苯醚 (Nonabromodiphenyl ether)     -     mg/kg     5     n.d.     -       多溴聯苯醚 (Nonabromodiphenyl ether)     -     mg/kg     5     n.d.     -       多溴酮苯醚 (Sum of PBDEs)     -     mg/kg     5     n.d.     -       潮苯二甲酸丁苯甲酯 (BBP) (Dibutyl phthalate (BBP))     参考IEC 62321-8: 2017 · 以氣相屬析儀/fg     mg/kg     50     n.d.     1000       潮苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-     8: 2017, analysis was performed by     mg/kg     50     n.d.     1000       如苯二甲酸二異丁酯 (DIBP) (Di-     GC/MS.)     mg/kg     50     n.d.     1000       氧     G(1) (Chorine (F)) (CAS No.: 14762-94-8)     %     %     885 EN 14582: 2016 · 以離子層析(最分     mg/kg     50     n.d.     -       氧 (Cl) (C	七溴聯苯醚 (Heptabromodiphenyl ether)		mg/kg	5	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)   第     多溴聯苯醚總和 (Sum of PBDEs)   mg/kg   5   n.d.   -     小人、   mg/kg   5   n.d.   1000     小菜菜二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP))   参考IEC 62321-8: 2017 · 以氣相層析儀/質   mg/kg   50   n.d.   1000     鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DEHP) (Di-   老考IEC 62321-8: 2017 · 以氣相層析儀/質   mg/kg   50   n.d.   1000     鄭苯二甲酸二只丁酯 (DIBP) (Dibutyl phthalate (DEHP))   老老IEC 62321-8: 2017 · 以氣相層析儀/質   mg/kg   50   n.d.   1000     鄭苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DEHP))   용   8: 2017, analysis was performed by   mg/kg   50   n.d.   1000     鄭末二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP))   GC/MS.)   mg/kg   50   n.d.   1000     鄭末二甲酸二異丁酯 (DIBP) (CAS No.: 14762-94-8)   mg/kg   50   n.d.   1000     氯 (Cl) (Chlorine (Cl)) (CAS No.: 14762-94-8)   参考BS EN 14582: 2016 · 以離子層析儀分   mg/kg   50   n.d.   -     氯 (Br) (Bromine (Br)) (CAS No.: 10097-32-2)   2016, analysis was performed by IC.)   mg/kg   50   n.d.   -     3 (Cl) (Chlorine (Br)) (CAS No.: 10097-32-2)   2016, analysis was performed by IC.) <td>八溴聯苯醚 (Octabromodiphenyl ether)</td> <td>mg/kg</td> <td>5</td> <td>n.d.</td> <td>-</td>	八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)     mg/kg     -     n.d.     1000       鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP))     mg/kg     50     n.d.     1000       鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP))     參考IEC 62321-8: 2017 · 以氣相層析儀/質 譜儀分析。(With reference to IEC 62321- #案二甲酸二(2-乙基己基)酯 (DEHP) (Di- (2-ethylhexyl) phthalate (DEHP))     參考IEC 62321-8: 2017 · 以氣相層析儀/質 譜儀分析。(With reference to IEC 62321- 8: 2017, analysis was performed by GC/MS.)     mg/kg     50     n.d.     1000       鄭末二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP))     용: 2017, analysis was performed by GC/MS.)     mg/kg     50     n.d.     1000       鄭末二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP))     修子BS EN 14582: 2016 · 以離子層析儀分 析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)     mg/kg     50     n.d.     -       第 (Cl) (Chlorine (Br)) (CAS No.: 10097- 32-2)     %考BS EN 14582: 2016 · 以離子層析儀分     mg/kg     50     n.d.     -	九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	-
娜苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP))   mg/kg   50   n.d.   1000     娜苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP))   參考IEC 62321-8: 2017 · 以氣相層析儀/質   mg/kg   50   n.d.   1000     娜苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP))   參考IEC 62321-8: 2017 · 以氣相層析儀/質   mg/kg   50   n.d.   1000     娜苯二甲酸二(2-乙基己基)酯 (DEHP) (Di- (2-ethylhexyl) phthalate (DEHP))   용'ZOT7, analysis was performed by GC/MS.)   mg/kg   50   n.d.   1000     鄭末二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP))   @   GC/MS.)   mg/kg   50   n.d.   1000     氟 (F) (Fluorine (F)) (CAS No.: 14762-94- 8)   @   @   mg/kg   50   n.d.   -     氯 (CI) (Chlorine (CI)) (CAS No.: 14762-94- 8)   @   %   %   mg/kg   50   n.d.   -     氯 (CI) (Chlorine (CI)) (CAS No.: 14762-94- 8)   @   %   %   mg/kg   50   n.d.   -     氯 (BP) (Bromine (Br)) (CAS No.: 10097- 32-2)   %   %   %   14582: 2016 · 以離子層析儀分   mg/kg   50   n.d.   -     3 (CI) (Chlorine (Br)) (CAS No.: 10097- 32-2)   @   016, analysis was performed by IC.)   mg/kg   50   n.d.	十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	-
phthalate (BBP))   第苯二甲酸二丁酯 (DBP) (Dibutyl 弊苯二甲酸二(2-乙基己基)酯 (DEHP) (Di- iii 儀分析。(With reference to IEC 62321- 8: 2017, analysis was performed by GC/MS.)   mg/kg   50   n.d.   1000     鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di- (2-ethylhexyl) phthalate (DEHP))   8: 2017, analysis was performed by GC/MS.)   mg/kg   50   n.d.   1000     鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP))   8: 2017, analysis was performed by GC/MS.)   mg/kg   50   n.d.   1000     氟 (F) (Fluorine (F)) (CAS No.: 14762-94- 8)   mg/kg   50   n.d.   1000     氟 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1)   參考BS EN 14582: 2016 · 以離子層析儀分 析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)   mg/kg   50   n.d.   -     第 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2)   2016, analysis was performed by IC.)   mg/kg   50   n.d.   -	多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.	1000
娜苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP))   參考IEC 62321-8: 2017 · 以氣相層析儀/質 iii (GPP) (Di-iii (C-Z基己基)酯 (DEHP) (Di-iii (C-C-Z基己基)酯 (DEHP))   mg/kg   50   n.d.   1000     鄭苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-(2-ethylhexyl) phthalate (DEHP))   8: 2017, analysis was performed by GC/MS.)   mg/kg   50   n.d.   1000     鄭苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DEHP))   GC/MS.)   mg/kg   50   n.d.   1000     氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)   GC/MS.)   mg/kg   50   n.d.   1000     氟 (Cl) (Chlorine (Cl)) (CAS No.: 22537-15-1)   %考BS EN 14582: 2016 · 以離子層析儀分   mg/kg   50   n.d.   -     溴 (Br) (Bromine (Br)) (CAS No.: 10097-32-2)   %考BS EN 14582: 2016 · 以離子層析儀分   mg/kg   50   n.d.   -	鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl	譜儀分析。(With reference to IEC 62321- 8: 2017, analysis was performed by	mg/kg	50	n.d.	1000
phthalate (DBP))   譜儀分析。(With reference to IEC 62321-     鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di- (2-ethylhexyl) phthalate (DEHP))   器: 2017, analysis was performed by GC/MS.)   mg/kg   50   n.d.   1000     鄭本二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP))   GC/MS.)   mg/kg   50   n.d.   1000     氟 (F) (Fluorine (F)) (CAS No.: 14762-94- 8)   mg/kg   50   n.d.   1000     氟 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1)   参考BS EN 14582: 2016 · 以離子層析儀分 析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)   mg/kg   50   n.d.   -	phthalate (BBP))					
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di- (2-ethylhexyl) phthalate (DEHP))   8: 2017, analysis was performed by GC/MS.)   mg/kg   50   n.d.   1000     鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP))   MG/KS.)   mg/kg   50   n.d.   1000     氟 (F) (Fluorine (F)) (CAS No.: 14762-94- 8)   MG/KS.)   mg/kg   50   n.d.   1000     氟 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1)   PRESEN 14582: 2016 · 以離子層析儀分 析 · (With reference to BS EN 14582: 2016, analysis was performed by IC.)   mg/kg   50   n.d.   -	鄰苯二甲酸二丁酯 (DBP) (Dibutyl		mg/kg	50	n.d.	1000
(2-ethylhexyl) phthalate (DEHP))   GC/MS.)   GC/MS.)   mg/kg   50   n.d.   1000     鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP))   GC/MS.)   mg/kg   50   n.d.   1000     氟 (F) (Fluorine (F)) (CAS No.: 14762-94- 8)   mg/kg   50   n.d.   -     氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1)   參考BS EN 14582: 2016 · 以離子層析儀分   mg/kg   50   n.d.   -     溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2)   经考BS EN 14582: 2016 · 以離子層析儀分   mg/kg   50   n.d.   -	phthalate (DBP))					
潮苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP))   mg/kg   50   n.d.   1000     氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)   mg/kg   50   n.d.   -     氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537-15-1)   參考BS EN 14582: 2016 · 以離子層析儀分   mg/kg   50   n.d.   -     溴 (Br) (Bromine (Br)) (CAS No.: 10097-32-2)   Ø16, analysis was performed by IC.)   mg/kg   50   n.d.   -	鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-		mg/kg	50	n.d.	1000
phthalate (DIBP)) mg/kg   氟 (F) (Fluorine (F)) (CAS No.: 14762-94- 8)   氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1)   象考BS EN 14582: 2016 · 以離子層析儀分 析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)   mg/kg 50 n.d.   - mg/kg   50 n.d.	(2-ethylhexyl) phthalate (DEHP))					
phthalate (DIBP))   mg/kg   mg/kg   50   n.d.   -     氟 (F) (Fluorine (F)) (CAS No.: 14762-94- 8)   mg/kg   50   n.d.   -     氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1)   參考BS EN 14582: 2016 · 以離子層析儀分 析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)   mg/kg   50   n.d.   -     mg/kg   50   n.d.   -   -   -	鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl		mg/kg	50	n.d.	1000
8)	phthalate (DIBP))					
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1)   參考BS EN 14582: 2016 · 以離子層析儀分   mg/kg   50   n.d.   -     溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2)   %考BS EN 14582: 2016 · 以離子層析儀分   mg/kg   50   n.d.   -	氟 (F) (Fluorine (F)) (CAS No.: 14762-94-		mg/kg	50	n.d.	-
15-1)   参考BS EN 14582: 2016 · 以離子層析儀分     演 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2)   析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	8)					
15-1)   参考BS EN 14582: 2016 · 以離子層研展分     溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2)   析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)   mg/kg   50   n.d.   -	氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537-	析。(With reference to BS EN 14582:	mg/kg	50	n.d.	-
<i>(Br)</i> (Bromine (Br)) (CAS No.: 10097- 32-2)       2016, analysis was performed by IC.)       mg/kg     50       n.d.	15-1)		5. 5			
32-2) 2016, analysis was performed by IC.)	溴 (Br) (Bromine (Br)) (CAS No.: 10097-		mg/kg	50	n.d.	-
		2016, analysis was performed by IC.)	J. J			
	碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	_
			و بر			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): ETR23A00325 日

日期(Date): 12-Oct-2023

頁數(Page): 4 of 9

尚磊科技股份有限公司 (SUNRAY SCIENCE & TECHNOLOGY CO., LTD.) 桃園市龍潭區高原路367巷163弄22號 (325-56 NO. 22, ALY. 163, LN. 367, GAOYUAN RD., KAO YUANG VILLAGE, LONGTAN DISTRICT, TAOYUAN CITY, TAIWAN)

### 備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. 除非另有說明·參照ILAC-G8:09/2019·採用簡單二元(w=0)允收規則進行符合性判定;根據此規則·符合性結果之判 定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



### 號碼(No.): ETR23A00325 日期(Date)

日期(Date): 12-Oct-2023


頁數(Page): 5 of 9

尚磊科技股份有限公司 (SUNRAY SCIENCE & TECHNOLOGY CO., LTD.) 桃園市龍潭區高原路367巷163弄22號 (325-56 NO. 22, ALY. 163, LN. 367, GAOYUAN RD., KAO YUANG VILLAGE, LONGTAN DISTRICT, TAOYUAN CITY, TAIWAN)

#### 重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (  $Cr^{6+}$  test method excluded )



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司




號碼(No.): ETR23A00325 日其

日期(Date): 12-Oct-2023

頁數(Page): 6 of 9

尚磊科技股份有限公司 (SUNRAY SCIENCE & TECHNOLOGY CO., LTD.) 桃園市龍潭區高原路367巷163弄22號 (325-56 NO. 22, ALY. 163, LN. 367, GAOYUAN RD., KAO YUANG VILLAGE, LONGTAN DISTRICT, TAOYUAN CITY, TAIWAN)

#### 多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



#### 號碼(No.): ETR23A00325 日期


日期(Date): 12-Oct-2023

頁數(Page):7 of 9

尚磊科技股份有限公司 (SUNRAY SCIENCE & TECHNOLOGY CO., LTD.) 桃園市龍潭區高原路367巷163弄22號 (325-56 NO. 22, ALY. 163, LN. 367, GAOYUAN RD., KAO YUANG VILLAGE, LONGTAN DISTRICT, TAOYUAN CITY, TAIWAN)

#### 可塑劑分析流程圖 / Analytical flow chart - Phthalate

#### 【測試方法/Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



#### 號碼(No.): ETR23A00325 日期


日期(Date): 12-Oct-2023

頁數(Page): 8 of 9

尚磊科技股份有限公司 (SUNRAY SCIENCE & TECHNOLOGY CO., LTD.)

桃園市龍潭區高原路367巷163弄22號 (325-56 NO. 22, ALY. 163, LN. 367, GAOYUAN RD., KAO YUANG VILLAGE, LONGTAN DISTRICT, TAOYUAN CITY, TAIWAN)

#### 鹵素分析流程圖 / Analytical flow chart - Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): ETR23A00325 日期(Date):

日期(Date): 12-Oct-2023

頁數(Page): 9 of 9

尚磊科技股份有限公司 (SUNRAY SCIENCE & TECHNOLOGY CO., LTD.) 桃園市龍潭區高原路367巷163弄22號 (325-56 NO. 22, ALY. 163, LN. 367, GAOYUAN RD., KAO YUANG VILLAGE, LONGTAN DISTRICT, TAOYUAN CITY, TAIWAN)

> \* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)



\*\* 報告結尾 (End of Report) \*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.